

Model	A	В	С	D	E	F	G	н
3030	31.5	30	20	19.5	8.25	30	30	15.5
3036	31.5	30	20	19.5	8.25	36	30	14.5
3636	37.5	36	20	19.5	8.25	36	36	14.5
4236	43.5	42	20	19.5	8.25	36	42	14.5
4836	49.5	48	20	19.5	8.25	36	48	14.5
3048	31.5	30	20	19.5	8.25	48	30	12.25
3648	37.5	36	20	19.5	8.25	48	36	12.25
4248	43.5	42	20	19.5	8.25	48	42	12.25
4848	49.5	48	20	19.5	8.25	48	48	12.25








Model	A	В	С	D	E	F	G	н
3030	30.5	30	19.75	19.5	8.25	30	30	15.5
3036	30.5	30	19.75	19.5	8.25	36	30	14.5
3636	36.5	36	19.75	19.5	8.25	36	36	14.5
4236	42.5	42	19.75	19.5	8.25	36	42	14.5
4836	48.5	48	19.75	19.5	8.25	36	48	14.5
3048	30.5	30	19.75	19.5	8.25	48	30	12.25
3648	36.5	36	19.75	19.5	8.25	48	36	12.25
4248	42.5	42	19.75	19.5	8.25	48	42	12.25
4848	48.5	48	19.75	19.5	8.25	48	48	12.25






Model	A	В	С	D	E	F
3030	31.5	20.25	8.25	30	30	15.5
3036	31.5	20.25	8.25	36	30	14.5
3636	37.5	20.25	8.25	36	36	14.5
4236	43.5	20.25	8.25	36	42	14.5
4836	49.5	20.25	8.25	36	48	14.5
3048	31.5	20.25	8.25	48	30	14.5
3648	37.5	20.25	8.25	48	36	14.5
4248	43.5	20.25	8.25	48	42	14.5
4848	49.5	20.25	8.25	48	48	14.5

Angled with Walnut Band




Model	A	В	С	D	E	F
3030	30	19.5	8.25	30	30	19.5
3036	30	19.5	8.25	36	30	19.5
3636	36	19.5	8.25	36	36	19.5
4236	42	19.5	8.25	36	42	19.5
4836	48	19.5	8.25	36	48	19.5
3048	30	19.5	8.25	48	30	19.5
3648	36	19.5	8.25	48	36	19.5
4248	42	19.5	8.25	48	42	19.5
4848	48	19.5	8.25	48	48	19.5






Model	A	В	С	D	E	F
3030	31.5	20.25	8.25	30	30	19.5
3036	31.5	20.25	8.25	36	30	19.5
3636	37.5	20.25	8.25	36	36	19.5
4236	43.5	20.25	8.25	36	42	19.5
4836	49.5	20.25	8.25	36	48	19.5
3048	31.5	20.25	8.25	48	30	19.5
3648	37.5	20.25	8.25	48	36	19.5
4248	43.5	20.25	8.25	48	42	19.5
4848	49.5	20.25	8.25	48	48	19.5





Model	А	В	C	D	ш	ь	G	н
3030	31.5	30	20	19.5	8.25	30	15	12
3036	31.5	30	20	19.5	8.25	36	15	12
3636	37.5	36	20	19.5	8.25	36	21	12
4236	43.5	42	20	19.5	8.25	36	27	12
4836	49.5	48	20	19.5	8.25	36	33	12
3048	31.5	30	20	19.5	8.25	48	15	12
3648	37.5	36	20	19.5	8.25	48	21	12
4248	43.5	42	20	19.5	8.25	48	37	12
4848	49.5	48	20	19.5	8.25	48	33	12


Curved with Classic Frim





Model	Α	В	C	D	ш	ь	G	н
3030	30.5	30	19.75	19.5	8.25	30	15	12.25
3036	30.5	30	19.75	19.5	8.25	36	15	12.25
3636	36.5	36	19.75	19.5	8.25	36	21	12.25
4236	42.5	42	19.75	19.5	8.25	36	27	12.25
4836	48.5	48	19.75	19.5	8.25	36	33	12.25
3048	30.5	30	19.75	19.5	8.25	48	15	12.25
3648	36.5	36	19.75	19.5	8.25	48	21	12.25
4248	42.5	42	19.75	19.5	8.25	48	37	12.25
4848	48.5	48	19.75	19.5	8.25	48	33	12.25


Curved
with Strapping and Flat Trim





Model	А	В	С	D	ш	ь	G	н
3030	30.625	30	20	19.5	8.25	30	15	12.25
3036	30.625	30	20	19.5	8.25	36	15	12.25
3636	36.625	36	20	19.5	8.25	36	21	12.25
4236	42.625	42	20	19.5	8.25	36	27	12.25
4836	48.625	48	20	19.5	8.25	36	33	12.25
3048	30.625	30	20	19.5	8.25	48	15	12.25
3648	36.625	36	20	19.5	8.25	48	21	12.25
4248	42.625	42	20	19.5	8.25	48	37	12.25
4848	48.625	48	20	19.5	8.25	48	33	12.25








Model	A	В	С	D	Е	F	G	н
3030	31.5	30	20	19.5	8.25	30	30	12.25
3036	31.5	30	20	19.5	8.25	36	30	12.25
3636	37.5	36	20	19.5	8.25	36	36	12.25
4236	43.5	42	20	19.5	8.25	36	42	12.25
4836	49.5	48	20	19.5	8.25	36	48	12.25
3048	31.5	30	20	19.5	8.25	48	30	12.25
3648	37.5	36	20	19.5	8.25	48	36	12.25
4248	43.5	42	20	19.5	8.25	48	42	12.25
4848	49.5	48	20	19.5	8.25	48	48	12.25


Sloped with Classic Trim





Model	А	В	С	D	ш	F	G	н
3030	30.625	30	20.25	19.5	8.25	30	30	12.25
3036	30.625	30	20.25	19.5	8.25	36	30	12.25
3636	36.625	36	20.25	19.5	8.25	36	36	12.25
4236	42.625	42	20.25	19.5	8.25	36	42	12.25
4836	48.625	48	20.25	19.5	8.25	36	48	12.25
3048	30.625	30	20.25	19.5	8.25	48	30	12.25
3648	36.625	36	20.25	19.5	8.25	48	36	12.25
4248	42.625	42	20.25	19.5	8.25	48	42	12.25
4848	48.625	48	20.25	19.5	8.25	48	48	12.25


Sloped with Metal Strapping






Model	A	В	С	D	ш	ш	G	н
3030	30.5	30	19.75	19.5	8.25	30	30	12.25
3036	30.5	30	19.75	19.5	8.25	36	30	12.25
3636	36.5	36	19.75	19.5	8.25	36	36	12.25
4236	42.5	42	19.75	19.5	8.25	36	42	12.25
4836	48.5	48	19.75	19.5	8.25	36	48	12.25
3048	30.5	30	19.75	19.5	8.25	48	30	12.25
3648	36.5	36	19.75	19.5	8.25	48	36	12.25
4248	42.5	42	19.75	19.5	8.25	48	42	12.25
4848	48.5	48	19.75	19.5	8.25	48	48	12.25

Sloped with Strapping and Flat Trim




Model	A	В	С	D	ш	ь	G	н
3030	31.5	30	20	19.5	8.25	30	22.125	15.5
3036	31.5	30	20	19.5	8.25	36	20	14.5
3636	37.5	36	20	19.5	8.25	36	26	14.5
4236	43.5	42	20	19.5	8.25	36	32	14.5
4836	49.5	48	20	19.5	8.25	36	38	14.5
3048	31.5	30	20	19.5	8.25	48	15.75	12.25
3648	37.5	36	20	19.5	8.25	48	21.75	12.25
4248	43.5	42	20	19.5	8.25	48	27.75	12.25
4848	49.5	48	20	19.5	8.25	48	33.75	12.25

Tapered with Classic Frim



Model	A	В	С	D	ш	F	G	н
3030	31.5	30	20	19.5	8.25	30	22.125	15.5
3036	31.5	30	20	19.5	8.25	36	20	14.5
3636	37.5	36	20	19.5	8.25	36	26	14.5
4236	43.5	42	20	19.5	8.25	36	32	14.5
4836	49.5	48	20	19.5	8.25	36	38	14.5
3048	31.5	30	20	19.5	8.25	48	15.75	12.25
3648	37.5	36	20	19.5	8.25	48	21.75	12.25
4248	43.5	42	20	19.5	8.25	48	27.75	12.25
4848	49.5	48	20	19.5	8.25	48	33.75	12.25

Tapered
with Shiplap and Block Trim



Model	А	В	С	D	E	F	G	н
3030	30.5	30	19.75	19.5	8.25	30	22.125	15.5
3036	30.5	30	19.75	19.5	8.25	36	20	14.5
3636	36.5	36	19.75	19.5	8.25	36	26	14.5
4236	42.5	42	19.75	19.5	8.25	36	32	14.5
4836	48.5	48	19.75	19.5	8.25	36	38	14.5
3048	30.5	30	19.75	19.5	8.25	48	15.75	12.25
3648	36.5	36	19.75	19.5	8.25	48	21.75	12.25
4248	42.5	42	19.75	19.5	8.25	48	27.75	12.25
4848	48.5	48	19.75	19.5	8.25	48	33.75	12.25

Tapered
with Strapping and Flat Trim

